

Elegance is the only beauty that never fades.





Experience Luxury Lighting Like Never Before With Brylite Gold.



- Create the most interesting LED LIGHTS for your premises that best match your aesthetics.
- Luminate any space with your creativity, get customized LED LIGHTS made with one of the world's best companies like Philips, Osram, Cree, Bridgelux, Edison and many more only with BRYLITE GOLD series.
- Customized as per your needs DIMMABLE, AUTOMATION, 3 in 1 and many more options available.
- Extended Warranty upto 5 years*, On Site service*, Stringent testing parameters, High Lumens Chip.

PHILIPS FULHAM OSRAM












www.brylite.com





MAGNETICA Magnetic **LED COB LIGHTS** Lumeo, Indo Gold, Indo, Grace, Fusion LED COB CYLINDER LIGHTS Bliss, Comet, Roto LED LINEA LIGHT Blade **LED TRACK LIGHTS** TrackoX, Wall Track LED PANEL LIGHTS Twinny, PC Slim, PC Profile, Slim, PC, Adjustable, Deep Down, Surface, Trimless, Moon, Ring, Striker LED CONCEALED LIGHTS Silverline, Razor, Micra, Ace, Twister, Glassy, Aqua **LED DEEP LIGHTS** Spark, Ace LED STRIP LIGHT Era **LED STRIP & PANEL DRIVERS Powerdrive** LED SPOT LIGHT Spark, Deep Spot, Surface Spot SENSORS **LED FLOOD LIGHTS** Platina, Lens LED STREET LIGHTS Lens LED DELTA OUTDOOR SERIES **ELECTRICAL PRODUCTS**







THE BRAND INDIA TRUST







MAGNETICA

MAGNETIC & ULTRA MAGNETIC TRACK SERIES





^{*} I-Module, L-Module, Straight Module & Magnetic Channel Jointer





COB LIGHT

When choosing an LED COB light, it's important to consider factors such as the color temperature, color rendering index (CRI), and lumen output. These factors can impact the overall quality of the light and its suitability for different applications.



DEEP COB LIGHT



LUMEO

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
LUMEO - De	ep COB Lig	ht					
L7WDCR	7W	6K/4K/3K	>0.5	ø 70X65X50	ø 65	>80	23°
L12WDCR	12W	6K/4K/3K	>0.5	ø 80X85X65	ø 80	>80	23°
L18WDCR	18W	6K/4K/3K	>0.5	Ø	øχχ	>80	23°

^{***} Available in Brylite Gold also.






















- · Available in Rose Gold & Black in Black.
- $\boldsymbol{\cdot}$ Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- Exclusive finish all aluminium heavy die cast.







COB LIGHT

When choosing an LED COB light, it's important to consider factors such as the color temperature, color rendering index (CRI), and lumen output. These factors can impact the overall quality of the light and its suitability for different applications.



DEEP COB LIGHT







ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
INDO GOLD	- Deep CO	B Light					
BP7WDCR	7W	6K/4K/3K	>0.5	ø 75x53x65	ø 50	>80	23°
BP12WDCR	12W	6K/4K/3K	>0.5	ø 85x63x80	ø 57	>80	23°
BP18WDCR	18W	6K/4K/3K	>0.5	ø 95X95X100	ø 88	>80	23°

^{***} Available in Brylite Gold also.



















- · Available in Rose Gold & Black in Black.
- Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- Exclusive finish all aluminium heavy die cast.







COB LIGHT

One of the key advantages of LED COB lights is their ability to produce a high level of illumination while consuming less energy than traditional lighting technologies. This makes them ideal for a range of applications, from home and commercial lighting to automotive and outdoor lighting.











ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
INDO Dasa	COD Links	_					
INDO - Deep	COB Light						
AP7WDC	7W	6K/4K/3K	>0.5	ø 62x50x60	ø 50	>80	23°
AP12WDC	12W	6K/4K/3K	>0.5	ø 85x63x80	ø 57	>80	23°
AP18WDC	18W	6K/4K/3K	>0.5	ø 95X95X100	ø 88	>80	23°

^{***} Available in Brylite Gold also.





















- Available in White + White & Black + Black
- · Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- Exclusive finish all aluminium heavy die cast.





DEEP PC COB







GRACE

POWER	BODY	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
OB LIGHT						
10W	PC	NA	ø 83X83X55	ø 75	>80	23°
	OB LIGHT	COB LIGHT	COB LIGHT	COB LIGHT	COB LIGHT	COB LIGHT

All dimensions are in mm

















Features

- Available in Black + Rose Gold & White + Rose Gold.
- High grade PC used for super finish. Superb fitting edge to edge.















ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE			
TIEWI CODE	TOWER	COL. TEIVII		DIMENSION	C01001	CIKI	BLAW ANGLE			
FUSION - Deep COB Light										
FN7WDCR	7W	6K/4K/3K	>0.5	ø 60X55X50	ø 55	>80	23°			
FN12WDCR	12W	6K/4K/3K	>0.5	ø 85X60X70	ø 70	>80	23°			
FN18WDCR	18W	6K/4K/3K	>0.5	ø 90X90X60	ø 88	>80	23°			

^{***} Available in Brylite Gold also.





















- · Available in Rose Gold & Black in Black.
- Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- Exclusive finish all aluminium heavy die cast.







CYLINDER COB LIGHT

LED cylinder lights are modern and stylish lighting fixtures that can add a touch of sophistication to any space. These lights are a popular choice for both residential and commercial settings, thanks to their sleek and minimalist design that fits seamlessly with a wide range of interior design styles.





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
BLISS PREMI	A Cylinder	& COMET Cylind	ler COI	3 Light			
BP7WCC	7W	6K/4K/3K	>0.5	ø 50X50X70	ø NA	>80	36°
BP15WCC	15W	6K/4K/3K	>0.5	ø 65X65X90	ø NA	>80	36°
BP20WCC	20W	6K/4K/3K	>0.5	ø 90X90X100	ø NA	>80	36°
CL7WCC	7W	6K/4K/3K	>0.5	ø 50X50X80	ø NA	>80	36°
CL15WCC	15W	6K/4K/3K	>0.5	ø 70X70X100	ø NA	>80	36°
CL20WCC	20W	6K/4K/3K	>0.5	ø 90X90X115	ø NA	>80	36°
RL15WCC	15W	6K/4K/3K	>0.5	ø xxxx	ø NA	>80	36°
RL15WCC	20W	6K/4K/3K	>0.5	ø xxxx	ø NA	>80	36°

^{***} Available in Brylite Gold also.






















- · Available in Rose Gold & Black in Black.
- Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- Exclusive finish all aluminium heavy die cast.







LINEA LIGHT

In addition to their functional benefits, linear lights are also appreciated for their sleek, modern design. They can be used to create a range of architectural lighting effects, from accentuating the lines of a building to creating dramatic visual statements.





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
LINEA - LINE	ΔIIGHT						
LN10LL	10W	4K/3K	>0.5	ø 150X45X40	ø 140X30	>80	120°
LN6LL	6W	4K/3K	>0.5	ø XXXXX	ø XXXXX	>80	120°
LN20LL	20W	4K/3K	>0.5	ø XXXXX	ø XXXXX	>80	120°





















- Available in WHITE+BLACK, BLACK+BLACK, BLACK+ROSE GOLD
- Heavy aluminum die cast body.
- · Superb finish with varied combinations.







TRACK LIGHT

LED track lights are an excellent lighting solution for a wide range of environments, from homes and offices to retail stores and art galleries. These lights consist of a track that can be mounted on ceilings or walls and fitted with adjustable light fixtures, providing flexibility in lighting design.





TRACK LIGHT





Trackox

WALL TRACK 10W, 20W, 30W

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
TRACKOx - T	rack Light						
TK10WT	10W	6K/4K/3K	>0.5	Ø	ø NA	>80	90°
TK20WT	20W	6K/4K/3K	>0.5	ø 70X150X155	ø NA	>80	90°
TK30WT	30W	6K/4K/3K	>0.5	ø 75X170X180	ø NA	>80	90°

^{***} Available in Brylite Gold also.





















- Available with Philips, Osram, Fulham driver & Edison, Bridgelux Chip.
- · Available in Black Body & White Body.
- · Super fine lens for better focus.







DEEP LIGHT

Energy Efficient LED lights are known for their energy efficiency and long lifespan. LED panel lights use less energy than traditional lighting fixtures and last much longer, which can save money on energy bills and maintenance costs.



PANEL LIGHT





ITEM CODE	POWER	BODY	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
TWINNY - 2	in 1 DANIFI	LIGHT					
T20W2PL	10W+10W	PC	NA	ø 140x140x20	ø 125	>80	90°
	1111				,		

All dimensions are in mm








Features

- · Available in varied colors.
- $\boldsymbol{\cdot}$ PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.









PC SLIM PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
MAXLITE - PO	Slim Pan	el Light					
PC8WSPL	8W	6K/4K/3K	>0.5	ø 115X115X30	ø 100	>80	90°
PC16WSPL	16W	6K/4K/3K	>0.5	ø 165X165X30	ø 150	>80	90°

All dimensions are in mm



















Features

- High quality diffuser emits high light.
- · Slim border for maximum light output.
- · High grade PC used for super finish.









PC PROFILE PANEL LIGHT




PROFILE PANEL

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
PC PROFILE I	PANEL LIG	HT					
PC16PPL	16W	6K/4K/3K	>0.5	ø 170x170x30	ø 164	>80	90°

*** Available in Brylite Gold also.





















- · Available in Round & Square Body.
- · High quality diffuser emits high light.
- · High grade PC used for super finish.







SLIM PANEL LIGHT

LED slim panel lights are a popular lighting solution that offers high efficiency and excellent illumination for both residential and commercial spaces. With their sleek and modern design, they are perfect for providing a clean and sophisticated look to any room.



SLIM PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
SPARK - SLIM	1 PANEL LI	GHT					
SL6SPL	6W	6K/4K/3K	>0.5	ø 120X120X25	ø 100	>80	90°
SL12SPL	12W	6K/4K/3K	>0.5	ø 170X170X25	ø 150	>80	90°
SL18SPL	18W	6K/4K/3K	>0.5	ø 220x220x25	ø 200	>80	90°

^{***} Available in Brylite Gold also.



















- · Available with Philips, Osram, Fulham drivers.
- $\boldsymbol{\cdot}$ Exclusive powder coted heavy body.
- · High lumen LED chip.







PC PANEL LIGHT

LED PC Panels are highly energy-efficient and can save up to 60% of energy compared to traditional fluorescent lighting. They are also environmentally friendly since they do not contain any hazardous materials such as mercury. This makes them an excellent option for businesses and individuals looking to reduce their carbon footprint.



PC PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE			
MAXLITE - PC Panel Light										
ML8WPC	8W	6K/4K/3K	>0.5	ø 115X115X30	ø 100	>80	120°			
ML12WPC	12W	6K/4K/3K	>0.5	ø 140X140X35	ø 125	>80	120°			
ML16WPC	16W	6K/4K/3K	>0.5	ø 165X165X30	ø 150	>80	120°			

All dimensions are in mm





















Features

- Available in Round & Square Body.
- High quality diffuser emits high light. High grade PC used for super finish.







ADJUSTABLE PANEL LIGHT

One of the main features of an LED adjustable PC panel is its adjustability. It can be adjusted in deep junction even in concealed box. This feature is particularly useful in commercial and office settings where lighting needs may change frequently, such as in homes, Farm houses, Offices etc



ADJUSTABLE PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE				
MAXLITE - Adjustable Panel Light											
ML12WAD	12W	6K/4K/3K	>0.5	ø 115x115x40	ø 50	>80	120°				
ML18WAD	18W	6K/4K/3K	>0.5	ø 140x140x45	ø 50	>80	120°				

All dimensions are in mm



















Features

- High quality diffuser emits high light.
- It can be adjusted up to 2" from deep to concealed to panel at ceiling.
- · High grade PC used for super finish.









PC DEEP **DOWN LIGHT**





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
PC DEEP D	OWN LIGHT						
PC10DDL	10W	6K/4K/3K	>0.5	ø 135x135x45	ø 125	>80	120°
PC15DDL	15W	6K/4K/3K	>0.5	ø 160x160x50	ø 150	>80	120°























- Available in Round & Square Body.
- · High quality diffuser emits high light.
- · High grade PC used for super finish.








ALUMINIUM SURFACE LIGHT

Durability: Aluminium is a durable and sturdy material that can withstand wear and tear, making it an excellent choice for surface lights Easy Installation: Aluminium Surface Lights are easy to install and can be mounted on both ceilings and walls.



SURFACE PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
CUREACE DAT	VIEL CDADI	CLIDEACE DANIEL	11611	-			
SURFACE PAI	NEL-SPARK	SURFACE PANEL	. LIGH	l			
SU6WPL	6W	6K/4K/3K	>0.5	ø 120x120x38	ø NA	>80	90°
SU12WPL	12W	6K/4K/3K	>0.5	ø 165X165X38	ø NA	>80	90°
SU18WPL	18W	6K/4K/3K	>0.5	ø 220x220x38	ø NA	>80	90°

^{***} Available in Brylite Gold also.



















- · Available with Philips, Osram, Fulham drivers.
- Exclusive powder coated heavy body.
- · High lumin led chip.







PC SURFACE LIGHT

Uniform Lighting: Trimless Surface Lights provide uniform and consistent lighting, eliminating any dark spots or shadows. Easy Installation: The installation process is straight forward and can be done by a professional electrician. They can be installed on both ceilings and walls.



SURFACE PANEL LIGHT









ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
TRIMUESS S	· -	11.1.					
TRIMLESS - S	иттасе Ра	nei Light					
TS8WPL	8W	6K/4K/3K	>0.5	ø 90X90X40	ø NA	>80	120°
TS16WPL	16W	6K/4K/3K	>0.5	ø 140X140X40	ø NA	>80	120°
MOON - Surf	ace Panel	Light					
MS8WPL	8W	6K/4K/3K	>0.5	ø 90X90X35	ø NA	>80	120°
MS16WPL	16W	6K/4K/3K	>0.5	ø 140X140X35	ø NA	>80	120°

















- High quality diffuser emits high light.
- It can be placed directly at ceiling.
- · High grade PC used for super finish.





PC SURFACE RING





ITEM CODE	POWER	BODY	PF	DIMENSION	ситоит	CRI	BEAM ANGLE		
RINGS - SURFACE PANEL RINGS									
R8WPR	8W	PC	NA	ø 115X115X33	ø NA	NA	NA		
R16WPR	16W	PC	NA	ø 165X165X33	ø NA	NA	NA		

^{***} Available in Brylite Gold also.

All dimensions are in mm













- High grade PC used for super finish.
- Used in converting normal panel into surface light.
- · Superb fitting edge to edge.







SURFACE LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
SURFACE -ST	RIKER LIG	НТ					
SS5WSL	5W	6K/4K/3K/R/G/B	>0.5	ø 60X60X20	ø NA	>80	90°





















- High quality diffuser emits high light.
- It can be placed directly at ceiling.
- · High grade PC used for super finish.







ALUMINIUM CONCEALED LIGHT

Overall, LED concealed lights offer a sleek, energy-efficient, and customizable lighting solution for a wide range of residential and commercial spaces. LED concealed lights are a type of lighting fixture that is designed to be installed in a way that makes the fixture itself invisible, while the light it emits is visible.









ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE		
SILVERLINE - 9W Aluminium Concealed Light									
SL9WALC	9W	6K/4K/3K/R/G/B 3 in 1 (6K/4K/3K)	>0.5	ø110X110X40	ø 75	>80	115°		

Zero Mercury All dimensions are in mm





- · Available in varied colors.
- $\boldsymbol{\cdot}$ Aluminium finish body with engraved stripes.
- · High quality LED chip and drivers used to ensure long life.







PC CONCEALED LIGHT

LED concealed lights are designed to be installed flush with the ceiling or wall, making them a low profile lighting solution. This allows the fixture to blend seamlessly into the surrounding surface, creating a clean and modern look.





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
RAZOR - 7W	PC Concea	aled Light					
RZ7WPCC	7W	6K/4K/3K/R/G/B 3 in 1 (6K/4K/3K)	>0.5	ø 110X110X45	ø 75	>80	115°

All dimensions are in mm







- · Available in varied colors.
- $\boldsymbol{\cdot}$ PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.







CONCEALED LIGHT

LED concealed lights are designed to be installed flush with the ceiling or wall, making them a low profile lighting solution. This allows the fixture to blend seamlessly into the surrounding surface, creating a clean and modern look.



CONCEALED LIGHT



MICRA

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
MICRA - Con	cealed Lig	ht					
M5WCL	5W	6K/4K/3K/R/G/B	>0.5	ø 100x100x50	ø 80	>80	115°

All dimensions are in mm





















- · Available in varied colors.
- PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.







COB CONCEALED & DEEP LIGHT

COB Concealed & Deep Lights are a type of lighting fixture that is designed to be hidden or concealed within a structure, providing an unobtrusive source of illumination. These lights are typically installed within walls, ceilings, or floors and can be used in a variety of settings, including residential, commercial, and industrial applications.



COB CONCEALED & DEEP LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE		
ACE - COB Concealed & Deep Light									
AC5WCDL	5W	6K/4K/3K/R/G/B	>0.5	ø 70x70x40	ø 55	>80	Adjustable		
AC9WCDL	9W	6K/4K/3K/R/G/B	>0.5	ø 100x100x50	ø 80	>80	Adjustable		























- · Available in varied colors.
- PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.





CONCEALED LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE	
TWISTER - 7W COB Concealed Light								
TW7WCCL	7W		>0.5	ø 115x70x115	ø 75	>80	115°	

All dimensions are in mm





- Available in varied colors.
- $\boldsymbol{\cdot}$ PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.







GLASS EFFECT CONCEALED LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE			
GLASSY - 7W Glass Ring Concealed Light										
GL7WCL	7W	6K/4K/3K/R/G/B	>0.5	ø 110x45x110	ø 75	>80	115°			



















- · Available in varied colors.
- PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.





CONCEALED LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
AQUA - Cond	oalod Ligh	\t					
AQ9WCL	9W	6K/4K/3K/R/G/B	>0.5	ø 115x70x115	ø 75	>80	115°
AQSWCL	900	0K/4K/3K/K/G/B	-0.5	₩ 113X/0X113	2 / ط	~60	115

All dimensions are in mm





- Available in varied colors.
- $\boldsymbol{\cdot}$ PC finish body with aluminium insert.
- · High quality LED chip and drivers used to ensure long life.













ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
DEEP - 5W PC	C Deep Lig	ht					
DP5WPCD	5W	6K/4K/3K/R/G/B	>0.5	ø 80X80X40	ø 50	>80	115°





















- · Available in varied colors.
- PC finish body with aluminium insert.
- High quality LED chip and drivers used to ensure long life.







LED STRIP LIGHT

LED strip lights are a versatile and popular lighting solution that are widely used in both residential and commercial spaces. They are highly flexible and can be easily cut to fit any desired length, making them ideal for a wide range of applications, including accent lighting, task lighting, and ambient lighting.



LED STRIP LIGHT










ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
ERA - LED S	STRIP LIGHT						
ER120SL	6.5W/mtr.	6K/4K/3K/R/G/B	>0.5	ø 5 Mtrs.	ø NA	>80	90°
ER240SL	13.5W/mtr.	6K/4K/3K/R/G/B	>0.5	ø 5 Mtrs.	ø NA	>80	90°
ERRGBSL	18W	R/G/B	>0.5	ø 5 Mtrs.	ø NA	>80	90°

^{***} Available in Brylite Gold also.

All dimensions are in mm





- · Available with 120 LED, 240 LED & RGB.
- $\boldsymbol{\cdot}$ Copper PCB with strong adhesive tape.
- · High lumen LED chip.







LED STRIP DRIVER

Choosing the right LED strip driver is essential for ensuring the longevity LED strip drivers are necessary because LED strips operate on low voltage DC power, typically 12V.LED strip drivers are electronic devices that regulate the power and current flow to LED strips, ensuring stable and efficient performance





ITEM CODE	POWER	BODY	WATT	DIMENSION	ситоит	CRI	BEAM ANGLE		
POWER DRIV	POWER DRIVE - LED Strip Driver								
PD2ASD	2 Amp.	Sheet Metal	24W	ø 89X38X25	ø NA	NA	NA		
PD5ASD	5 Amp.	Sheet Metal	60W	ø 127X38X25	ø NA	NA	NA		
PD10ASD	10 Amp.	Sheet Metal	120W	ø 165X38X25	ø NA	NA	NA		
POWER DRIV	/E - Ultra S	lim LED Strip Driv	/er						
PD2AUSD	2 Amp.	Sheet Metal	24W	ø 108X19X19	ø NA	NA	NA		
PD5AUSD	5 Amp.	Sheet Metal	60W	ø 153X19X19	ø NA	NA	NA		
PD10AUSD	10 Amp.	Sheet Metal	120W	Ø XXXXXXX	ø NA	NA	NA		

Also Available in 16.5 Amp., 25 Amp., 33.3 Amp.





















- Available in the slimmest and thinnest form.
- · High quality components used for better results.
- · Compatible with 120/240 & RGB strips.





BUTTON SPOT LIGHT

DEEP SPOT LIGHT









ITEM CODE	POWER	BODY	WATT	DIMENSION	ситоит	CRI	BEAM ANGLE
SPOT LIGHT	- LED SPO	Γ 2W					
SP2LL	2W	6K/4K/3K/R/G/B	>0.5	ø 40x40x10	ø 35	>80	120°
DP2LL	2W	6K/4K/3K/R/G/B	>0.5	ø 40x40x10	ø 35	>80	120°
SP2SPL	2W	6K/4K/3K/R/G/B	>0.5	ø 50x50x20	ø NA	>80	120°

All dimensions are in mm

















- · Available in multiple color option.
- · Super fine PC body
- · High lumins cob used









ITEM CODE	POWER	BODY	WATT	DIMENSION	ситоит	CRI	BEAM ANGLE
SENSORS-MO	OTION & D	AY N NIGHT					
MOTION02	200W.	PC	200W	ø 100x100x20	ø NA	NA	NA
DAY02	100W.	PC	100W	ø 60x60x80	ø NA	NA	NA

All dimensions are in mm


















- Motion sensors & Day N Night Sensors can be integrated with other devices or systems.
- Exclusive response time
- Superb distance range







FLOOD LIGHT

LED flood lights are a powerful and energy-efficient lighting option that can provide bright illumination to outdoor spaces. These lights are commonly used for outdoor security lighting, sports fields, and even stage lighting due to their ability to emit a broad beam of light.



FLOOD LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
PLATINA - Flo	ood Light						
PL30FL	30W	6K/3K/R/G/B	>0.5	ø xxxxxxx	ø NA	>80	120°
PL50FL	50W	6K/3K/R/G/B	>0.5	ø 225X200X40	ø NA	>80	120°
PL100FL	100W	6K/3K/R/G/B	>0.5	ø 285X275X60	ø NA	>80	120°
PL150FL	150W	6K/3K/R/G/B	>0.5	ø 305X285X70	ø NA	>80	120°
PL200FL	200W	6K/3K/R/G/B	>0.5	ø 365X330X90	ø NA	>80	120°



















- · Available with 6kVA Surge Protection.
- · Waterproof IP68.
- They are available in various wattage options







FLOOD LIGHT

LED flood lights are a powerful and energy-efficient lighting option that can provide bright illumination to outdoor spaces. These lights are commonly used for outdoor security lighting, sports fields, and even stage lighting due to their ability to emit a broad beam of light.



FLOOD LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
LENS - Flood	Light						
LS50FL	50W	6K	>0.5	ø NA	ø NA	>80	120°
LS100FL	100W	6K		ø NA	ø NA	>80	120°
LS200FL	200W	6K		ø NA	ø NA	>80	120°

^{***} Available in Brylite Gold also.





















- Available with 6kVA Surge Protection.
- · Waterproof IP68.
- They are available in various wattage options







STREET LIGHT

A LED street light is a type of outdoor lighting fixture that utilizes Light Emitting Diodes (LEDs) as its light source. LED technology has revolutionized the lighting industry in recent years, providing more energy-efficient and long-lasting alternatives to traditional lighting technologies such as incandescent and fluorescent bulbs.





STREET LIGHT





POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
A Stroot I	ight					
4 - Street L	.igiit					
30W	6K/3K	>0.5	ø 360X130X50	ø NA	>80	120°
50W	6K/3K	>0.5	ø 415X165X50	ø NA	>80	120°
t Light						
30W	6K/3K	>0.5	ø 390X145X40	ø NA	>80	120°
50W	6K/3K	>0.5	ø 340X125X40	ø NA	>80	120°
	A - Street L 30W 50W t Light 30W	A - Street Light 30W 6K/3K 50W 6K/3K t Light 30W 6K/3K	A - Street Light 30W 6K/3K >0.5 50W 6K/3K >0.5 t Light 30W 6K/3K >0.5	A - Street Light 30W 6K/3K >0.5 Ø 360X130X50 50W 6K/3K >0.5 Ø 415X165X50 t Light 30W 6K/3K >0.5 Ø 390X145X40	A - Street Light 30W 6K/3K >0.5 Ø 360X130X50 Ø NA 50W 6K/3K >0.5 Ø 415X165X50 Ø NA t Light 30W 6K/3K >0.5 Ø 390X145X40 Ø NA	A - Street Light 30W 6K/3K >0.5 Ø 360X130X50 Ø NA >80 50W 6K/3K >0.5 Ø 415X165X50 Ø NA >80 t Light 30W 6K/3K >0.5 Ø 390X145X40 Ø NA >80






















- Super fine lens quality for better and brighter light.
- · Available with 6kVA Surge Protection.
- · Waterproof IP68
- They are available in various wattage options

















ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE		
DELTA SERIE	DELTA SERIES - LENS UP DOWN Light								
LUP2WAY	2W	3K	>0.5	ø 80X75X35	ø NA	>80	Adjustable		
LUP4WAY	4W	3K	>0.5	ø 110X75X40	ø NA	>80	Adjustable		
LUP6WAY	6W	3K	>0.5	ø 150X40X80	ø NA	>80	Adjustable		
LUP3WAY	9W	3K	>0.5	ø 150x105x55	ø NA	>80	Adjustable		

All dimensions are in mm

















- Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- High Quality Lens ensures high illumination.









ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
DELTA CEDIE			014/011				
DELIA SERIE	2 - CORF &	DIAMOND UP D	OWN L	.ignt			
CUP2WAY	2W	3K	>0.5	ø 40X40X60	ø NA	>80	Adjustable
CUP4WAY	4W	ЗК	>0.5	ø 75X75X50	ø NA	>80	Adjustable
DUP4WAY	4W	зк	>0.5	ø 75X75X50	ø NA	>80	Adjustable





















- · Weather-resistant materials.
- \bullet IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality Lens ensures high illumination.







OUTDOOR LIGHT

Brighten up your outdoor space with our energy-efficient LED lights! Perfect for patios, walkways, and backyard gatherings. Durable and waterproof, our outdoor LED lights are designed to withstand the elements and provide long-lasting illumination.





CENTER LIT UP DOWN LIGHT



















ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
\ <u></u>							
DELTA SERIE	S - UP DOV	VN Light					
GLANCE	6W	3K	>0.5	ø 95x45x55	NA	>80	NA
хо	4W	3K	>0.5	ø 130x50x40	NA	>80	NA
CUBE 4 (CL)	6W	3K	>0.5	ø 75x75x75	NA	>80	NA

All dimensions are in mm

















Features

- Weather-resistant materials.
- $\boldsymbol{\cdot}$ IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality Lens ensures high illumination.











UP DOWN LIGHT



DOME CYLINDER



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
DELTA SERIE	S - UP DO\	NN Lights					
LEAF	6W	3K	>0.5	ø 125X80X40	ø NA	>80	NA
CURVE	6W	3K	>0.5	ø 65X55X150	ø NA	>80	NA
DOME	6W	3K	>0.5	ø 65X80X150	ø _{NA}	>80	NA

All dimensions are in mm



LEAF















Features

- Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- High Quality Lens ensures high illumination.









UP DOWN LIGHT















ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
DELTA SERIE	S - UP DOV	VN Light					
MOON	12W	3K	>0.5	ø 180X180X40	ø NA	>80	NA
BRICK-1	1W	3K	>0.5	ø 40X35X50	ø NA	>80	NA
BRICK-2	2W	3K	>0.5	ø 40X35X50	ø NA	>80	NA






















- Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality Lens ensures high illumination.







OUTDOOR K LIGHT







CURVE K LIGHT

OUTDOOR

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
UP DOWN K,	UP DOW	N Half-K, UP DOW	'N Cur	ve-K & UP DOW	N Half Cur	ve K L	ight
HK5WUD	5W	3K	>0.5	ø 80x30x75	ø NA	>80	90° - 120°
FK10WUD	10W	3K	>0.5	ø 80x60x140	ø NA	>80	90° - 120°
CK6WUD	6W	3K	>0.5	ø 80x55x180	ø NA	>80	90°- 120°
HCK3WUD	3W	ЗК	>0.5	ø 80x40x100	ø NA	>80	90°- 120°

All dimensions are in mm



















Features

- Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality GLASS ensures high illumination.














Gl() Ring









ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
FOOT LIGH	Т						
FT3WTLT	3W	3K	>0.5	ø 75x75x40	ø 75	>80	40°-60°>
FT5WTLT	5W	3K	>0.5	Ø	ø 75	>80	40°-60°>
FT3CLT	3W	3K	>0.5	ø 75x40x75	ø 75	>80	40°-60°>
FT3GLT	3W	3K	>0.5	ø 60x60x50	ø 50	>80	40°-60°>
FT3DLT	3W	3K	>0.5	ø 65x65x55	ø 50	>80	40°-60°>




















- · Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality GLASS ensures high illumination.







GARDEN SPIKE LIGHT

Garden spike lights are outdoor lighting fixtures that are designed to be installed in gardens, lawns, and other outdoor spaces. Most garden spike lights are made with materials that can withstand outdoor weather conditions, such as rain, snow, and extreme temperatures.





GARDEN SPIKE LIGHT





POWER	COL. TEMP	PF	DIMENSION	CUTOUT	CRI	BEAM ANGLE
en Light						
5W	6K/3K/R/G/B	>0.5	ø 60X60X260	ø NA	>80	10° - 38°
7W	6K/3K/R/G/B	>0.5	ø 60X60X260	ø NA	>80	10° - 38°
12W	6K/4K/3K	>0.5	ø 60X60X260	ø NA	>80	10° - 38°
	en Light 5W 7W	en Light 5W 6K/3K/R/G/B 7W 6K/3K/R/G/B	en Light 5W 6K/3K/R/G/B >0.5 7W 6K/3K/R/G/B >0.5	en Light 5W 6K/3K/R/G/B >0.5 Ø 60X60X260 7W 6K/3K/R/G/B >0.5 Ø 60X60X260	en Light 5W 6K/3K/R/G/B >0.5 Ø 60X60X260 Ø NA 7W 6K/3K/R/G/B >0.5 Ø 60X60X260 Ø NA	en Light 5W 6K/3K/R/G/B >0.5 ø 60X60X260 ø NA >80 7W 6K/3K/R/G/B >0.5 ø 60X60X260 ø NA >80





















- · Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality reflector ensures high illumination.













BULKHEAD LIGHT

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	ситоит	CRI	BEAM ANGLE
DULLIGIEADI	:						
BULKHEAD L	.ignt						
BH10WLT	10W	3K	>0.5	ø NA	ø NA	>80	120°
BH20WLT	20W	3K	>0.5	ø NA	ø NA	>80	120°






















- · Weather-resistant materials.
- IP rating: Look for an IP rating of at least IP68 or higher.
- · High Quality GLASS ensures high illumination.











Specifications:


- Available in 3+1 with LED Indicator.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



Specifications:

- Available in 4+1 with LED Indicator.
- Heavy Gauge Brass Parts & Copper Wire.
- Fuse along with Surge Protection.






VOLTE

- Available in 4+1 with LED Indicator.
- Heavy Gauge Brass Parts & Copper Wire.
- Fuse along with Surge Protection.



- Smooth Operation.
- High Quality PC Material.
- Long Life.
- Multi Tune.



- High Quality PC Material.
- Long Life.
- High Volume.







- Smooth Operation.
- High Quality PC Material.
- Long Life.
- High Volume.





- Smooth Operation.
- High Quality PC Material.
- Long Life.
- Multi Tune.

- Smooth Operation.
- High Quality PC Material.
- Long Life.
- Multi Tune.





- Transformer Technology
- Heavy Duty
- Truly Long Life
- Echo Volume
- PC Body



- Smooth Operation.
- High Quality PC Material.
- Long Life.
- High Volume.


parro

- Smooth Operation.
- High Quality PC Material.
- Long Life.
- High Volume.





WARDROBE BUTTON









Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.







- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.





Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.





DURA

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



BOLT

Specifications:


- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.





- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.









STAR

Specifications:

- Available in 4 Way, 6 Way, 12 Way, 16 Way.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.

RING

Specifications:

- 32 Ampere 240 Volts.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.





OVAL

- 16 Ampere 240 Volts.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



6 TO 16 AMP. MULTI PLUG

Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.

SUPER MULTI PLUG

Specifications:

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.







MINI MULTI PLUG

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.



MULTI PLUG WITH USB

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.
- Fast Charging with Twin USB.

MULTI PLUG WITH NIGHT LAMP

- Available in 100% PC Material.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.
- Button Operated Night Lamp.





Specifications:

- Available in 4 Way, 6 Way, 12 Way, 16 Way.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.


Specifications:

- 32 Ampere 240 Volts.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.





- 16 Ampere 240 Volts.
- Heavy Gauge Material.
- Includes Copper & Brass Parts.







SUPER SIGN PRODUCTS

SIGNAGE INDUSTRIAL PRODUCTS

